



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

scrubby oaks. At higher elevations fir and pine trees are abundant.

The area is underlain by igneous rocks that appear to be chiefly basaltic and andesitic flows and tuffs. The sequence of the rocks in part in the Lake Creek district comprises, beginning with the lowest flow, a platy basalt, 500 feet or more thick; a red basalt tuff, commonly manganiferous, 100 to 300 feet or more thick; a platy basalt, a few feet to 100 or more feet thick; dark gray to buff, locally manganiferous, andesitic tuffs and breccias, a few feet to 500 feet thick; vesicular to compact massive gray and purplish gray andesitic flows and tuffs, about 500 feet thick; and dense black basalt that weathers light gray on the surface, a few feet to more than 100 feet thick.

About 1,500 tons of ore, containing at least 15 per cent. of manganese, is "in sight." In addition, incomplete prospecting by drilling and by open cuts indicates that at least 4 acres are probably underlain by 10 feet of ore (about 120,000 tons) containing probably 10 per cent. of manganese. The surface indications in other parts of the district warrant an estimate that they may yield 130,000 tons more of material carrying at least 10 per cent. of manganese, so that the probable reserves of ore of this grade amount to at least 250,000 tons.

EXHIBIT OF MINERALS USEFUL IN WAR

GRAPHICALLY displayed in the Hall of Minerals of the American Museum of Natural History is a series of minerals intended to visualize the steps necessary in the development of war munitions from the crude ore to the finished product, and to point the urgent need of domestic production. Included in the exhibit are the rarer minerals such as mercury, nickel, manganese, chromium, tungsten, vanadium and molybdenum, and under each specimen of these a label indicating in what particular industry it is used. For instance we find molybdenum steel is used in the construction of the inner tubes of large guns, as it has been found that this metal best resists the erosion caused by the gases developed by smokeless powder.

There are also displayed small distribution maps showing the occurrence of the ores in the United States and other countries, giving locations of the principal supplies prior to the war, and indicating regions in this country worthy of development. Particularly interesting is the display of finished products. Through the courtesy of a number of prominent manufacturers, material has been secured which illustrates how these minerals and metals are extracted and are being turned into tools for our army forces. By this means one can trace the application of mercury from cinnabar—how the primers are charged with fulminate of mercury which explodes the hand and rifle grenades now being so successfully used in pushing back the Teuton forces. One may also see a sectional barrel of the three-inch naval gun with its lining of molybdenum steel. Also interesting and instructive is the series showing the many stages required in the manufacture of a completed nickel-jacketed bullet like those now being used by thousands in our rifles, machine guns and revolvers.

Stamped on the lead insert of the .303 caliber cartridge used in the Lee-Enfield rifle of the British Army, are the letters "U. S.," which must have served as a reminder to the Kaiser's troops, in the early part of the war, that these particular arguments were made in the United States. Another display makes comparison of these modern messengers of death with those in use during our Civil War.

LIBRARY OF THE EDGEWOOD ARSENAL LABORATORY

MAJOR WM. LLOYD EVANS, Chemical Warfare Service, has addressed the following letter to Colonel Wm. H. Walker, commanding officer:

As we are becoming more settled in our laboratory work, the need for the well-known handbooks and chemical journals becomes more apparent daily. We are badly in need of such works as Beilstein's *Organische Chemie*, Landolt-Börnstein, *Tabellen*, *Journal of the American Chemical Society*, *Journal of Industrial and Engineering Chemistry*, *Metallurgical and Chemical Engineering*, *Journal of the Society of Chemical Industry*, *Transactions*